

Single Glass Door Refrigerated Showcase – Black

SKU: 18000-422

18000-423

18000-424



Our commercial single glass door refrigerated showcase is an excellent choice for presenting your chilled products with both style and convenience.

Designed to enhance product visibility while maintaining optimal cooling, this showcase combines sleek aesthetics with exceptional functionality, making it the perfect display solution for your business

MADE IN CHINA




NEMA
5 - 15
125VAC / 15 AMP
RECEPTACLE



1 YEAR
WARRANTY
PARTS & LABOUR

TECHNICAL DRAWING



140 L

TECHNICAL SPECIFICATION

SKU	18000-424
Capacity	140L 4.9 cu.ft.
Description	Double Tempered Glass Door with Low-E
Door Frame	PVC
Refrigerant	R600a 1.27g
Temperature Range	0°C - 10°C 32°F - 50°F
Electrical	110V / 60Hz / 1Ph
Current	1.3A
Power	130W
Cooling System	Air Forced / Ventilated / No Frost
Lock/Key	Yes
Side LED Light	Yes
Casters	Yes
Number of Shelves	3
Net Dimensions (WDH)	16.5" x 20.7" x 56.3" 420 x 525 x 1430 mm
Net Weight	92.6 lbs. 42 kg.
Gross Dimensions (WDH)	19.7" x 22.8" x 58.4" 500 x 580 x 1483 mm
Gross Weight	101.4 lbs. 46 kg.

FEATURES:


- Durable and modern design featuring a black-painted stainless steel exterior and a white-painted interior
- Double-tempered, self-closing glass door for a clear, heat-safe view and minimized condensation
- Adjustable, coated steel shelves for versatile storage arrangements and effortless cleaning



NEMA
5-15
125VAC / 15 AMP
RECEPTACLE



TECHNICAL DRAWING



*measurements in diagrams are in mm



217 L

TECHNICAL SPECIFICATION

SKU	18000-423
Capacity	217L 7.7 cu.ft.
Description	Double Tempered Glass Door with Low-E
Door Frame	PVC
Refrigerant	R600a 1.48g
Temperature Range	0°C - 10°C 32°F - 50°F
Electrical	110V / 60Hz / 1Ph
Current	1.3A
Power	130W
Cooling System	Air Forced / Ventilated / No Frost
Lock/Key	Yes
Side LED Light	Yes
Casters	Yes
Number of Shelves	3
Net Dimensions (WDH)	21.1" x 20.7" x 62.2" 535 x 525 x 1580 mm
Net Weight	114.6 lbs. 52 kg.
Gross Dimensions (WDH)	24.2" x 22.8" x 64.3" 615 x 580 x 1633 mm
Gross Weight	125.7 lbs. 57 kg.

FEATURES:


- Durable and modern design featuring a black-painted stainless steel exterior and a white-painted interior
- Double-tempered, self-closing glass door for a clear, heat-safe view and minimized condensation
- Adjustable, coated steel shelves for versatile storage arrangements and effortless cleaning



NEMA
5-15
125VAC / 15 AMP
RECEPTACLE



TECHNICAL DRAWING



TECHNICAL SPECIFICATION

SKU	18000-422
Capacity	285L 10.1 cu.ft.
Description	Double Tempered Glass Door with Low-E
Door Frame	PVC
Refrigerant	R600a 1.69g
Temperature Range	0°C - 10°C 32°F - 50°F
Electrical	110V / 60Hz / 1Ph
Current	1.3A
Power	150W
Cooling System	Air Forced / Ventilated / No Frost
Lock/Key	Yes
Side LED Light	Yes
Casters	Yes
Number of Shelves	4
Net Dimensions (WDH)	22.6" x 20.7" x 71.3" 575 x 525 x 1810 mm
Net Weight	130.1 lbs. 59 kg.
Gross Dimensions (WDH)	25.8" x 22.8" x 73.3" 655 x 580 x 1863 mm
Gross Weight	143.3 lbs. 65 kg.

FEATURES:

- Durable and modern design featuring a black-painted stainless steel exterior and a white-painted interior
- Double-tempered, self-closing glass door for a clear, heat-safe view and minimized condensation
- Adjustable, coated steel shelves for versatile storage arrangements and effortless cleaning

285 L



NEMA
5-15
125VAC / 15 AMP
RECEPTACLE

