


53" Two-Sliding Glass Door Merchandiser Refrigerator

SKU: 12000-163 18000-487



Zanduco's 53" 2-door sliding glass coolers are the perfect solution for showcasing cold merchandise while maintaining energy efficiency.

Crafted with durable painted steel on the exterior, these coolers offer a sleek and professional appearance. The crystal-clear sliding glass doors provide excellent visibility, making it easy for customers to browse your products. With features like automatic defrosting and high-density polyurethane insulation, these coolers ensure optimal performance and consistent cooling.






FEATURES:

- **Exterior Material:** Painted steel for durability and a sleek look
- **Shelving:** Plastic-coated steel shelves with integrated shelf tag holders
- **Defrost System:** Automatic defrosting for hassle-free maintenance
- **Insulation:** High-density polyurethane for optimal temperature retention
- **Door Gasket:** Removable design for easy cleaning and replacement
- **Installation Board:** Removable board for simplified maintenance access
- **Shelf Capacity:** Holds up to 90 lbs. per shelf
- **Temperature Range:** Maintains 0°C to 5°C

TECHNICAL SPECIFICATION

SKU	12000-163
Temperature Range	0°C - 5°C 33°F - 41°F
Max. Ambient Temp. Range	32°C 90°F
Power	0.25+ HP
Phase	1
Electrical	110V / 60Hz / 1Ph
Amps	4.3
Refrigerant	R290
Cooling System	Ventilated
Number of Doors	2
Number of Shelves	8
Capacity	1270L 45 cu.ft.
Shelf Capacity	90 lbs. 41 kg.
Exterior Dimensions (WDH)	53.25" x 32" x 83.8" 1353 x 813 x 2129 mm
Net Weight	441 lbs. 200 kg.
Interior Dimensions (WDH)	50" x 28.25" x 62" 1270 x 718 x 1575 mm
Gross Dimensions	56.3" x 33.46" x 84" 1430 x 850 x 2134 mm
Gross Weight	496 lbs. 225 kg.

TECHNICAL DRAWING



NEMA
5 - 15
125VAC / 15 AMP






FEATURES:

- **Exterior Material:** Painted steel for durability and a sleek look
- **Shelving:** Plastic-coated steel shelves with integrated shelf tag holders
- **Defrost System:** Automatic defrosting for hassle-free maintenance
- **Insulation:** High-density polyurethane for optimal temperature retention
- **Door Gasket:** Removable design for easy cleaning and replacement
- **Installation Board:** Removable board for simplified maintenance access
- **Shelf Capacity:** Holds up to 90 lbs. per shelf
- **Temperature Range:** Maintains 0°C to 5°C

TECHNICAL SPECIFICATION

SKU	12000-163
Temperature Range	0°C - 5°C 33°F - 41°F
Max. Ambient Temp. Range	32°C 90°F
Power	0.25+ HP
Phase	1
Electrical	110V / 60Hz / 1Ph
Amps	4.3
Refrigerant	R290
Cooling System	Ventilated
Number of Doors	2
Number of Shelves	8
Capacity	1270L 45 cu.ft.
Shelf Capacity	90 lbs. 41 kg.
Exterior Dimensions (WDH)	53.25" x 32" x 83.8" 1353 x 813 x 2129 mm
Net Weight	441 lbs. 200 kg.
Interior Dimensions (WDH)	50" x 28.25" x 62" 1270 x 718 x 1575 mm
Gross Dimensions	56.3" x 33.46" x 84" 1430 x 850 x 2134 mm
Gross Weight	496 lbs. 225 kg.

TECHNICAL DRAWING



NEMA
5 - 15
125VAC / 15 AMP

