



180 DAYS
LIMITED WARRANTY



STANDARD WORKTABLES & ACCESSORIES

STANDARD WORKTABLES

- Made of 18-gauge 430 stainless steel
- Support channels tightened by bolt and acorn nut
- Galvanized undershelf supported by welded V pipe leg
- Comes with plastic bullet feet & single set-screw design for legs



TECHNICAL SPECIFICATIONS

ITEM	DESCRIPTION (DxW)	TOP LOAD CAPACITY	UNDERSHELF CAPACITY	HEIGHT	GROSS WEIGHT	GROSS DIMENSIONS
12000-208	S.S. Table 18" x 24" / 457 x 610 mm, 4 legs	220.5lb. (100kg.)	176 lb. (80 kg.)	34.5" (876.3 mm)	30.4 lbs./ 13.8 kg	35.2" x 22.6" x 3.1" 895 x 575 x 80 mm
16000-404	S.S. Table 24" x 18" / 610 x 457 mm, 4 legs	220.5 lb. (100 kg.)	176.4 lb. (80 kg.)	34.5" (876.3 mm)	30.4 lbs./ 13.8 kg	35.2" x 22.6" x 3.1" 895 x 575 x 80 mm
47000-073	S.S. Table 24" x 24" / 610 x 610 mm, 4 legs	485 lb. (220 kg.)	297.6 lb. (135 kg.)	34.5" (876.3 mm)	30 lbs./ 13.6 kg	35.2" x 28.7" x 3.1" 895 x 729 x 80 mm
47000-074	S.S. Table 24" x 30" / 610 x 762 mm, 4 legs	529 lb. (240 kg.)	330.7 lb. (150 kg.)	34.5" (876.3 mm)	34.4 lbs./ 15.6 kg	35.2" x 28.7" x 3.1" 895 x 729 x 80 mm
47000-075	S.S. Table 24" x 36" / 610 x 914 mm, 4 legs	573 lb. (260 kg.)	330 lb. (150 kg.)	34.5" (876.3 mm)	38.4 lbs./ 17.4 kg	37.4" x 25.2" x 3.1" 949 x 640 x 80 mm
47000-076	S.S. Table 24" x 48" / 610 x 1219 mm, 4 legs	606.27 lb. (275 kg.)	363.8 lb. (165 kg.)	34.5" (876.3 mm)	47.2 lbs./ 21.4 kg	49.4" x 25.2" x 3.1" 1255 x 640 x 80 mm
*47000-077	S.S. Table 24" x 60" / 610 x 1524 mm, 4 legs	650 lb. (295 kg.)	396.8 lb. (180 kg.)	34.5" (876.3 mm)	56.9 lbs./ 25.8 kg	61.4" x 25.2" x 3.1" 1559 x 640 x 80 mm
*47000-078	S.S. Table 24" x 72" / 610 x 1829 mm, 4 legs	705 lb. (320 kg.)	397 lb. (180 kg.)	34.5" (876.3 mm)	66.1 lbs./ 30 kg	73.4" x 25.2" x 3.1" 1864 x 640 x 80
*47000-079	S.S. Table 24" x 84" / 610 x 2133.6 mm, 6 legs	1036 lb. (470 kg.)	430 lb. (195 kg.)	34.5" (876.3 mm)	94.8 lbs./ 83.8 kg	85.4" x 25.2" x 3.1" 2169 x 640 x 80 mm
*47000-080	S.S. Table 24" x 96" / 610 x 2438 mm, 6 legs	1102 lb. (500 kg.)	463 lb. (210 kg.)	34.5" (876.3 mm)	94.8 lbs./ 43 kg	97.4" x 25.2" x 3.1" 2473 x 640 x 80 mm
16000-405	S.S. Table 30" x 18" / 762 x 457 mm, 4 legs	264.5 lb. (120 kg.)	220.5 lb. (100 kg.)	34.5" (876.3 mm)	32.2 lbs. / 14.6 kg	35.2" x 22.6" x 3.1" 895 x 575 x 80 mm
47000-081	S.S. Table 30" x 30" / 762 x 762 mm, 4 legs	551.5 lb. (250 kg.)	330.7 lb. (150 kg.)	34.5" (876.3 mm)	39.2 lbs./ 17.8 kg	38.8" x 34.7" x 3.1" 985 x 882 x 80 mm
47000-082	S.S. Table 30" x 36" / 762 x 914 mm, 4 legs	551 lb. (250 kg.)	363.8 lb. (165 kg.)	34.5" (876.3 mm)	44.1 lbs./ 20 kg	37.4" x 31.2" x 3.1" 949 x 793 x 80 mm
47000-083	S.S. Table 30" x 48" / 762 x 1219 mm, 4 legs	639 lb. (290 kg.)	363.8 lb. (165 kg.)	34.5" (876.3 mm)	54.7 lbs./ 24.8 kg	49.4" x 31.2" x 3.1" 1255 x 793 x 80 mm
*47000-084	S.S. Table 30" x 60" / 762 x 1524 mm, 4 legs	679 lb. (308 kg.)	396.8 lb. (180 kg.)	34.5" (876.3 mm)	66.1 lbs./ 30 kg	61.4" x 31.2" x 3.1" 1559 x 793 x 80 mm
*47000-085	S.S. Table 30" x 72" / 762 x 1829 mm, 4 legs	750 lb. (340 kg.)	397 lb. (180 kg.)	34.5" (876.3 mm)	77.6 lbs./ 35.2 kg	73.4" x 31.2" x 3.1" 1864 x 793 x 80 mm
*47000-086	S.S. Table 30" x 84" / 762 x 2133.6 mm, 6 legs	1092 lb. (495 kg.)	452 lb. (205 kg.)	34.5" (876.3 mm)	99.2 lbs./ 45 kg	85.4" x 31.2" x 3.1" 2169 x 793 x 80 mm
*47000-087	S.S. Table 30" x 96" / 762 x 2438 mm, 6 legs	1157 lb. (525 kg.)	485 lb. (220 kg.)	34.5" (876.3 mm)	104.5 lbs./47.4 kg	97.4" x 31.2" x 3.1" 2473 x 793 x 80 mm



Welded Stainless Steel Tables available by request. Please call for more information.

STANDARD WORKTABLES WITH BACKSPLASH

- Features a 4" / 101.6 mm backsplash
- Made of 18-gauge 430 stainless steel
- Support channels tightened by bolt and acorn nut
- Galvanized undershelf supported by welded V pipe leg
- Comes with plastic bullet feet & single set-screw design for legs



TECHNICAL SPECIFICATIONS

ITEM	DESCRIPTION	LOAD CAPACITY	HEIGHT	GROSS WEIGHT	GROSS DIMENSIONS
47000-088	S.S. Table 24" x 24" / 610 x 610 mm with 4"/101.6 mm backsplash, 4 legs	485 lbs./ 220 kg	38.5" / 977.9 mm	32.6 lbs./ 14.8 kg	35.2" x 28.7" x 7.1" / 895 x 729 x 180 mm
47000-089	S.S. Table 24" x 30" / 610 x 762 mm with 4"/101.6 mm backsplash, 4 legs	529 lbs./ 240 kg	38.5" / 977.9 mm	37.9 lbs./ 17.2 kg	35.2" x 28.7" x 7.1" / 895 x 729 x 180 mm
47000-090	S.S. Table 24" x 36" / 610 x 914 mm with 4"/101.6 mm backsplash, 4 legs	573 lbs./ 259.9 kg	38.5" / 977.9 mm	40.6 lbs./ 18.4 kg	37.4" x 25.4" x 7.1" / 949 x 644 x 180 mm
47000-091	S.S. Table 24" x 48" / 610 x 1219 mm with 4"/101.6 mm backsplash, 4 legs	606 lbs./ 274.9 kg	38.5" / 977.9 mm	51.6 lbs./ 23.4 kg	49.4" x 25.4" x 7.1" / 1255 x 644 x 180 mm
*47000-092	S.S. Table 24" x 60" / 610 x 1524 mm with 4"/101.6 mm backsplash, 4 legs	650 lbs./ 294.8 kg	38.5" / 977.9 mm	58.6 lbs./ 26.6 kg	61.4" x 25.4" x 7.1" / 1559 x 644 x 180 mm
*47000-093	S.S. Table 24" x 72" / 610 x 1829 mm with 4"/101.6 mm backsplash, 4 legs	705 lbs./ 319.8 kg	38.5" / 977.9 mm	69.4 lbs./ 31.5 kg	73.4" x 25.4" x 7.1" / 1864 x 644 x 180 mm
*47000-094	S.S. Table 24" x 84" / 610 x 2133.6 mm with 4"/101.6 mm backsplash, 6 legs	1036 lbs./469.9 kg	38.5" / 977.9 mm	83.8 lbs./ 38 kg	85.4" x 25.4" x 7.1" / 2169 x 644 x 180 mm
*47000-095	S.S. Table 24" x 96" / 610 x 2438 mm with 4"/101.6 mm backsplash, 6 legs	1102 lbs./499.9 kg	38.5" / 977.9 mm	96.6 lbs./43.8 kg	97.4" x 25.4" x 7.1" / 2473 x 644 x 180 mm
47000-096	S.S. Table 30" x 30" / 762 x 762 mm with 4"/101.6 mm backsplash, 4 legs	551 lbs./ 249.9 kg	38.5" / 977.9 mm	44.1 lbs./ 20 kg	38.8" x 34.7" x 7.1" / 985 x 882 x 180 mm
47000-097	S.S. Table 30" x 36" / 762 x 914 mm with 4"/101.6 mm backsplash, 4 legs	595 lbs./ 269.9 kg	38.5" / 977.9 mm	46.3 lbs./ 21 kg	37.4" x 31.4" x 7.1" / 949 x 797 x 180 mm
47000-098	S.S. Table 30" x 48" / 762 x 1219 mm with 4"/101.6 mm backsplash, 4 legs	639 lbs./ 289.8 kg	38.5" / 977.9 mm	56.9 lbs./ 25.8 kg	49.4" x 31.4" x 7.1" / 1255 x 797 x 180 mm
*47000-099	S.S. Table 30" x 60" / 762 x 1524 mm with 4"/101.6 mm backsplash, 4 legs	679 lbs./ 308 kg	38.5" / 977.9 mm	70.1 lbs./ 31.8 kg	61.4" x 31.4" x 7.1" / 1559 x 797 x 180 mm
*47000-100	S.S. Table 30" x 72" / 762 x 1829 mm with 4"/101.6 mm backsplash, 4 legs	750 lbs./ 340.2 kg	38.5" / 977.9 mm	80.7 lbs./ 36.6 kg	73.4" x 31.4" x 7.1" / 1864 x 797 x 180 mm
*47000-101	S.S. Table 30" x 84" / 762 x 2133.6 mm with 4"/101.6 mm backsplash, 6 legs	1091 lbs./494.4 kg	38.5" / 977.9 mm	99.2 lbs./ 45 kg	85.4" x 31.4" x 7.1" / 2169 x 797 x 180 mm
*47000-102	S.S. Table 30" x 96" / 763 x 2438 mm with 4"/101.6 mm backsplash, 6 legs	1157 lbs./524.8 kg	38.5" / 977.9 mm	108.5 lbs./49.2 kg	97.4" x 31.4" x 7.1" / 2473 x 797 x 180 mm



Welded Stainless Steel Tables available by request. Please call for more information.

STANDARD WORKTABLE ACCESSORIES

GALVANIZED STEEL UNDERSHELVES



TECHNICAL SPECIFICATIONS

ITEM	DESCRIPTION	LOAD CAPACITY	GROSS DIMENSIONS	GROSS WEIGHT
47000-103	24" x 24" / 610 x 610 mm Undershelf for 22063 and 22078	297 lbs./ 134.7 kg	20.1" x 18.7" x 2.4" 510 x 475 x 60 mm	6.5 lbs./ 2.95 kg
47000-104	24" x 30" / 610 x 762 mm Undershelf for 22064 and 22079	330 lbs./149.7 kg	26" x 18.7" x 2.4" 660 x 475 x 60 mm	8.4 lbs./ 3.8 kg
47000-105	24" x 36" / 610 x 914 mm Undershelf for 22065 and 22080	330 lbs./149.7 kg	31.9" x 18.7" x 2.4" 810 x 475 x 60 mm	9.7 lbs./ 4.4 kg
47000-106	24" x 48" / 610 x 1219 mm Undershelf for 22066 and 22081	363 lbs./12.9 kg	44.1" x 18.7" x 2.4" 1120 x 475 x 60 mm	12.9 lbs./ 5.85 kg
*47000-107	24" x 60" / 610 x 1524 mm Undershelf for 22067 and 22082	396 lbs./179.6 kg	55.9" x 18.7" x 2.4" 1420 x 475 x 60 mm	16.8 lbs./ 7.6 kg
*47000-108	24" x 72" / 610 x 1829 mm Undershelf for 22068 and 22083	396 lbs./ 179.6 kg	67.9" x 18.7" x 2.4" 1725 x 475 x 60 mm	19.8 lbs./ 9 kg
*47000-109	24" x 84" / 610 x 2133.6 mm Undershelf for 22069 and 22084	429 lbs./ 194.6 kg	80.2" x 18.7" x 2.4" 2037 x 475 x 60 mm	22.6 lbs./ 10.25 kg
*47000-110	24" x 96" / 610 x 2438 mm Undershelf for 22070 and 22085	462 lbs./ 209.6 kg	92.1" x 18.7" x 2.4" 2340 x 475 x 60 mm	25.6 lbs./11.6 kg
*47000-111	30" x 30" / 762 x 762 mm Undershelf for 22071 and 22086	310 lbs./140.6 kg	26" x 24.8" x 2.4" 660 x 630 x 60 mm	10.1 lbs./ 4.6 kg
*47000-112	30" x 36" / 762 x 914 mm Undershelf for 22072 and 22087	333 lbs./151 kg	31.9" x 24.8" x 2.4" 810 x 630 x 60 mm	12.5 lbs./ 5.65 kg
*47000-113	30" x 48" / 762 x 1219 mm Undershelf for 22073 and 22088	353 lbs./160.1 kg	44.1" x 24.8" x 2.4" 1120 x 630 x 60 mm	16.8 lbs./ 7.6 kg
*47000-114	30" x 60" / 762 x 1524 mm Undershelf for 22074 and 22089	376 lbs./ 170.6 kg	55.9" x 24.8" x 2.4" 1420 x 630 x 60 mm	21.2 lbs./ 9.6 kg
*47000-115	30" x 72" / 762 x 1829 mm Undershelf for 22075, 22090 and 22062	396 lbs./ 179.6 kg	67.9" x 24.8" x 2.4" 1725 x 630 x 60 mm	25.1 lbs./ 11.4 kg
*47000-116	30" x 84" / 762 x 2133.6 mm Undershelf for 22076 and 22091	451 lbs./ 204.6 kg	80.2" x 24.8" x 2.4" 2037 x 630 x 60 mm	28.7 lbs./ 13 kg
*47000-117	30" x 96" / 762 x 2438 mm Undershelf for 22077 and 22092	484 lbs./ 219.5 kg	92.1" x 24.8" x 2.4" 2340 x 630 x 60 mm	33.5 lbs./ 15.2 kg
*47000-356	24" x 18" / 610 x 457 mm Undershelf for 43182	180 lbs./81.6 kg	16.7" x 18.7" x 2.4" 425 x 475 x 60 mm	4.4 lbs. / 2 kg
*47000-355	30" x 18" / 762 x 457 mm Undershelf for 43183	200 lbs. / 90.7 kg	16.7" x 24.8" x 2.4" 425 x 630 x 60 mm	6.8 lbs. / 3.1 kg

Bullet feet

ITEM	DESCRIPTION
47000-208	Stainless Steel Bullet Foot
47000-194	Plastic Bullet Foot
47000-195	Bullet Foot- Plastic Inside Stainless Steel Outside



47000-195



47000-194



47000-208