

Gelato Dipping Cabinet with Flat Sneeze Guard and Pans

SKU: 70000-009 70000-018 70000-019

Serve your customers frozen treats with style and freshness using this sleek gelato cabinet.


Designed for superior temperature control and ample capacity, it's the perfect choice for businesses that value quality and presentation.



FEATURES:


- **Capacity:**
Features 14 pans in total, including nine 5L pans, allowing you to display a wide variety of gelato flavors and toppings to delight your customers
- **Attractive Design:**
Seamlessly fits into your space while showcasing an enticing range of frozen desserts like ice cream and gelato
- **Advanced Refrigeration:**
Digital temperature control offers a precise range of -26°C to 0°C, keeping gelato at the perfect serving temperature
- **Convenience:**
Equipped with four casters for mobility, plus sliding doors and locks for easy access and security

MADE IN CHINA



1 YEAR
WARRANTY
PARTS & LABOUR

TECHNICAL DRAWING




TECHNICAL SPECIFICATION

SKU	70000-009
Capacity	120L 4.25 cu.ft.
Maximum Load	265 lb. 120 kg.
Number of Doors	2
Number of Pans	4
Pan Capacity	x4 - 5L x1 - 180g
Pan Size	5L - 14.2" x 44.7" x 6.5" 180g - 6.3" x 5.2" x 3.9"
Interior Material	White Pre-Coated Steel Sheet
Exterior Material	Durable White Powder Coated Steel
Number of Casters	4
Power	210W
Compressor Power	1/4+ HP
Amps	2A
Electrical	110V / 60Hz / 1Ph
Temperature Controller	Digital
Temperature Range	-26°C to 0°C -15°F to 32°F
Refrigerant	R290
Injection	56.7g
Type Of Climate	N/ST
Insulation Material	C5H10
Defrosting	Manual
Cooling System	Compressor
Net Dimensions (WDH)	26.2" x 28.1" x 52.2" 665 x 715 x 1325 mm
Net Weight	154.3 lb. 70 kg.
Cabinet Gross Dimensions (WDH)	29.1" x 29.9" x 37.4" 740 x 760 x 950 mm
Glass Gross Dimensions (WDH)	26.2" x 23" x 0.5" 665 x 584 x 13 mm
Gross Weight	169.8 lb. 77 kg.

NEMA
5 - 15P
125VAC / 15 AMP



TECHNICAL DRAWING




TECHNICAL SPECIFICATION

SKU	70000-018
Capacity	290L 10.2 cu.ft.
Maximum Load	639.3 lb. 290 kg.
Number of Doors	2
Number of Pans	9
Pan Capacity	x9 - 5L
Pan Size	5L - 14.2" x 4.7" x 6.5" 360 x 120 x 165 mm
Interior Material	White Pre-Coated Steel Sheet
Exterior Material	Durable White Powder Coated Steel
Number of Casters	4
Power	260W
Compressor Power	2/5+ HP
Amps	3A
Electrical	110V / 60Hz / 1Ph
Temperature Controller	Digital
Temperature Range	-26°C to 0°C -15°F to 32°F
Refrigerant	R290
Injection	79.9g
Type Of Climate	N/ST
Insulation Material	C5H10
Defrosting	Manual
Cooling System	Compressor
Net Dimensions (WDH)	49.6" x 28.1" x 52.2" 1260 x 715 x 1325 mm
Net Weight	198.4 lb. 90 kg.
Cabinet Gross Dimensions (WDH)	52.6" x 29.9" x 37.4" 1335 x 760 x 950 mm
Glass Gross Dimensions (WDH)	51" x 23" x 0.5" 1295 x 584 x 13 mm
Gross Weight	231.5 lb. 105 kg.

NEMA
5 - 15P
125VAC / 15 AMP



TECHNICAL DRAWING



TECHNICAL SPECIFICATION

SKU	70000-019
Capacity	290L 10.2 cu.ft.
Maximum Load	639.3 lb. 290 kg.
Number of Doors	2
Number of Pans	9
Pan Capacity	x9 - 5L
Pan Size	5L - 14.2" x 4.7" x 6.5" 360 x 120 x 165 mm
Interior Material	White Pre-Coated Steel Sheet
Exterior Material	Durable White Powder Coated Steel
Number of Casters	6
Power	295W
Compressor Power	2/3+ HP
Amps	4A
Electrical	110V / 60Hz / 1Ph
Temperature Controller	Digital
Temperature Range	-26°C to 0°C -15°F to 32°F
Refrigerant	R290
Injection	104.9g
Type Of Climate	N/ST
Insulation Material	C5H10
Defrosting	Manual
Cooling System	Compressor
Net Dimensions (WDH)	70.9" x 28.1" x 52.2" 1800 x 715 x 1325 mm
Net Weight	257.9 lb. 117 kg.
Cabinet Gross Dimensions (WDH)	73.8" x 29.9" x 37.4" 1875 x 760 x 950 mm
Glass Gross Dimensions (WDH)	72.8" x 23" x 0.5" 1850 x 584 x 13 mm
Gross Weight	313 lb. 142 kg.

NEMA
5 - 15P
125VAC / 15 AMP

