



Aurora Refrigeration


Models FR-CN-0737E-HC, 1372E-HC, RE-CN-0021E-HC

Items 59023, 59025, 59024

Instruction Manual



Revised - 02/09/2023



Toll Free: 1-800-465-0234
Fax: 905-607-0234
Email: service@omcan.com
www.omcan.com



Table of Contents

Model FR-CN-0737E-HC / Model FR-CN-1372E-HC / Model RE-CN-0021E-HC

| Section | Page |
|--------------------------------|-------------|
| Disclaimer ----- | 3 |
| General Information ----- | 4 - 5 |
| Safety and Warranty ----- | 5 - 7 |
| Technical Specifications ----- | 8 |
| Installation ----- | 8 - 9 |
| Maintenance ----- | 9 - 10 |
| Troubleshooting ----- | 10 - 11 |
| Parts Breakdown ----- | 12 - 17 |
| Electrical Schematics ----- | 18 - 19 |
| Notes ----- | 20 - 22 |
| Warranty Registration ----- | 23 |

Disclaimer

OMCAN IS NOT RESPONSIBLE FOR ANY DAMAGES DUE TO WATER LEAKS. WARRANTY FOR WATER LEAKS IS VOID IF THE AMBIENT ROOM TEMPERATURE EXCEEDS 75°F AND 55% RELATIVE HUMIDITY, AND THE APPLIANCE DRAIN IS NOT CONNECTED DIRECTLY TO A FLOOR DRAIN.

OMCAN N'EST PAS RESPONSABLE DES DOMMAGES DUS AUX FUITES D'EAU. LA GARANTIE POUR LES FUITES D'EAU EST ANNULÉE SI LA TEMPÉRATURE AMBIANTE DE LA PIÈCE DÉPASSE 75°F ET 55% D'HUMIDITÉ RELATIVE, ET SI LE DRAIN DE L'APPAREIL N'EST PAS RACCORDÉ DIRECTEMENT À UN DRAIN DE PLANCHER.

OMCAN NO SE HACE RESPONSABLE DE LOS DAÑOS CAUSADOS POR FUGAS DE AGUA. LA GARANTÍA POR FUGAS DE AGUA QUEDA ANULADA SI LA TEMPERATURA AMBIENTE SUPERA LOS 75°F Y EL 55% DE HUMEDAD RELATIVA, Y EL DESAGÜE DEL APARATO NO ESTÁ CONECTADO DIRECTAMENTE A UN DESAGÜE DE PISO.

General Information

Omcan Manufacturing and Distributing Company Inc., Food Machinery of America, Inc. dba Omcan and Omcan Inc. are not responsible for any harm or injury caused due to any person's improper or negligent use of this equipment. The product shall only be operated by someone over the age of 18, of sound mind, and not under the influence of any drugs or alcohol, who has been trained in the correct operation of this machine, and is wearing authorized, proper safety clothing. Any modification to the machine voids any warranty, and may cause harm to individuals using the machine or in the vicinity of the machine while in operation.

CHECK PACKAGE UPON ARRIVAL

Upon receipt of an Omcan shipment please inspect for external damage. If no damage is evident on the external packaging, open carton to ensure all ordered items are within the box, and there is no concealed damage to the machine. If the package has suffered rough handling, bumps or damage (visible or concealed), please note it on the bill of lading before accepting the delivery and contact Omcan within 24 hours, so we may initiate a claim with the carrier. A detailed report on the extent of the damage caused to the machine must be filled out within three days, from the delivery date shown in the shipping documents. Omcan has no recourse for damaged products that were shipped collect or third party.

Before operating any equipment, always read and familiarize yourself with all operation and safety instructions.

Omcan would like to thank you for purchasing this machine. It's of the utmost importance to save these instructions for future reference. Also save the original box and packaging for shipping the equipment if servicing or returning of the machine is required.

Omcan Fabrication et distribution Compañie Limité et Food Machinery d'Amérique, dba Omcan et Omcan Inc. ne sont pas responsables de tout dommage ou blessure causé du fait que toute personne ait utilisé cet équipement de façon irrégulière. Le produit ne doit être exploité que par quelqu'un de plus de 18 ans, saine d'esprit, et pas sous l'influence d'une drogue ou d'alcool, qui a été formé pour utiliser cette machine correctement, et est vêtu de vêtements de sécurité approprié. Toute modification de la machine annule toute garantie, et peut causer un préjudice à des personnes utilisant la machine ou des personnes à proximité de la machine pendant son fonctionnement.

VÉRIFIEZ LE COLIS DÈS RÉCEPTION

Dès réception d'une expédition d'Omcan veuillez inspecter pour dommages externes. Si aucun dommage n'est visible sur l'emballage externe, ouvrez le carton afin de s'assurer que tous les éléments commandés sont dans la boîte, et il n'y a aucun dommage dissimulé à la machine. Si le colis n'a subi aucune mauvaises manipulations, de bosses ou de dommages (visible ou cachée), notez-le sur le bond de livraison avant d'accepter la livraison et contactez Omcan dans les 24 heures qui suivent, pour que nous puissions engager une réclamation auprès du transporteur. Un rapport détaillé sur l'étendue des dommages causés à la machine doit être rempli dans un délai de trois jours, à compter de la date de livraison indiquée dans les documents d'expédition. Omcan n'a aucun droit de recours pour les produits endommagés qui ont été expédiés ou cueilli par un tiers transporteur.



General Information

Avant d'utiliser n'importe quel équipement, toujours lire et vous familiariser avec toutes les opérations et les consignes de sécurité.

Omcan voudrais vous remercier d'avoir choisi cette machine. Il est primordial de conserver ces instructions pour une référence ultérieure. Également conservez la boîte originale et l'emballage pour l'expédition de l'équipement si l'entretien ou le retour de la machine est nécessaire.

Omcan Empresa De Fabricacion Y Distribucion Inc. Y Maquinaria De Alimentos De America, Inc. dba Omcan y Omcan Inc. no son responsables de ningun daño o perjuicio causado por cualquier persona inadecuada o el uso descuidado de este equipo. El producto solo podra ser operado por una persona mayor de 18 años, en su sano juicio y no bajo alguna influencia de droga o alcohol, y que este ha sido entrenado en el correcto funcionamiento de esta máquina, y ésta usando ropa apropiada y autorizada. Cualquier modificación a la máquina anula la garantía y puede causar daños a las personas usando la máquina mientras esta en el funcionamiento.

REVISE EL PAQUETE A SU LLEGADA

Tras la recepcion de un envio Omcan favor inspeccionar daños externos. Si no hay daños evidentes en el empaque exterior, Habra el carton para asegurarse que todos los articulos solicitados estén dentro de la caja y no encuentre daños ocultos en la máquina. Si el paquete ha sufrido un manejo de poco cuidado, golpes o daños (visible o oculto) por favor anote en la factura antes de aceptar la entrega y contacte Omcan dentro de las 24 horas, de modo que podamos iniciar una reclamación con la compañía. Un informe detallado sobre los daños causados a la máquina debe ser llenado en el plazo de tres días, desde la fecha de entrega que se muestra en los documentos de envío. Omcan no tiene ningun recurso por productos dañados que se enviaron a recoger por terceros.

Antes de utilizar cualquier equipo, siempre lea y familiarizarse con todas las instrucciones de funcionamiento y seguridad.

Omcan le gustaría darle las gracias por la compra de esta máquina. Es de la mayor importancia para salvar estas instrucciones para futuras consultas. Además, guarda la caja original y el embalaje para el envío del equipo si servicio técnico o devolución de la máquina que se requiere.

Safety and Warranty

Please pay close attention to the safety notices in this section. Disregarding these notices may lead to serious injury and can damage the unit.

CAUTION FOR SAFETY

1. Leave enough space from the wall to the cabinet and the ceiling; do not place the back of the unit against the wall.

Safety and Warranty

Caution: keep a minimum of 20cm from the cabinet and the wall.

2. Please keep other objects away from the unit that may cause a fire.
3. Do not store flammable or combustible materials near the unit.
4. Only connect to a grounded single phase connection.

Caution: Do not connect grounding wire to a water or gas pipe.

5. Handle with caution during transportation, the unit can only be leaned a maximum of 45°.
6. When encountering problems, please refer to the Troubleshooting section or call Omcan.

Danger: Flammable refrigerant used. Do not use mechanical devices to defrost the unit. Do not puncture the refrigerant tubing. To be repaired only by trained service technicians.

Caution: Flammable refrigerant used. Consult repair manual/owners guide before attempting to service this unit. All safety precautions must be followed.

Caution: Dispose of properly in accordance with federal or local regulations. Flammable refrigerant used.

Caution: Follow handling instructions carefully.

Caution: Ensure all ventilation openings are unobstructed.

Caution: Servicing shall be done by authorized service personnel, so as to minimize the risk of injury due to incorrect parts or improper service.

ATTENTION

- To minimize shock and fire hazards, be sure not to overload outlet. Please designate one outlet for your unit.
- Do not use extension cords.
- Do not put your hands under the unit when the unit is required to be moved.
- When the unit is not in use for a long period of time, please unplug the unit from the outlet.
- After unplugging the unit, wait at least 10 minutes before re-plugging it. Failure to do so could cause damage to the compressor.

UNPLUG CORD

- To minimize shock and fire hazards, please do not plug or unplug the cord with wet hands.
- During maintenance and cleaning, please unplug the unit..

PROPER GROUNDING REQUIRED

- To minimize shock and fire hazards, make sure that the unit is properly grounded.

PROHIBITION

- Do not attempt to remove or repair any component unless instructed by Omcan.
- Make sure that the unit is not resting on or against the electrical cord and plug.
- To minimize personal injury, do not hang on the doors.
- Do not store any flammable or explosive material inside the unit.



Safety and Warranty

- Do not attempt to alter or tamper with the electrical cord.

RESIDENTIAL USERS: Vendor assumes no liability for parts or labor coverage for component failure or other damages resulting from installation in non-commercial or residential applications. The right is reserved to deny shipment for residential usage; if this occurs, you will be notified as soon as possible.

1 YEAR PARTS AND LABOUR WARRANTY

Within the warranty period, contact Omcan Inc. at 1-800-465-0234 to schedule an Omcan authorized service technician to repair the equipment locally.

Unauthorized maintenance will void the warranty. Warranty covers electrical and part failures, not improper use.

Please see <https://omcan.com/disclaimer> for complete info.

WARNING:

The packaging components are classified as normal solid urban waste and can therefore be disposed of without difficulty.

In any case, for suitable recycling, we suggest disposing of the products separately (differentiated waste) according to the current norms.

DO NOT DISCARD ANY PACKAGING MATERIALS IN THE ENVIRONMENT!

Technical Specifications

| Model | FR-CN-0737E-HC | FR-CN-1372E-HC | RE-CN-0021E-HC |
|-------------------------|---|--|---|
| Temperature Range | -22.2 to -17.8°C / -8 to 0°F | | 0.5 to 4.4°C / 33 to 40°F |
| Max Ambient Temp Rating | 24°C / 75°F | | |
| Power | 456 W | 780 W | 348 W |
| Refrigerant | R290 | | |
| Isolation Material | Cyclopentane | | |
| Cooling System | Ventilated | | |
| Defrosting | Automatic | | |
| Type of Controller | Digital | | |
| Self-Closing Door | Yes | | |
| Current | 4.9A | 8.5A | 3.6A |
| Number of Doors | 1 | 2 | 1 |
| Number of Shelves | 3 | 6 | 3 |
| Shelf Material | Plastic Coated | | |
| Shelf Loading Capacity | 88 lbs. / 39.9 kgs | | |
| Electrical | 110-120V / 60Hz / 1 | | |
| Interior Dimensions | 24.4" x 27.1" x 53.5" 620 x 688 x 1360mm | 49.4" x 27.1" x 53.5" 1255 x 688 x 1360mm | 24.4" x 27.1" x 53.5" 620 x 688 x 1360mm |
| Overall Dimensions | 29" x 32.2" x 82.5" 736 x 818 x 2095mm | 54" x 32.2" x 82.5" 1371 x 818 x 2095mm | 29" x 32.2" x 82.5" 736 x 818 x 2095mm |
| Packaging Dimensions | 30.3" x 34.1" x 84.4" 770 x 865 x 2145mm | 56.5" x 34.6" x 85" 1435 x 880 x 2160mm | 30.3" x 34.1" x 84.4" 770 x 865 x 2145mm |
| Net Volume | 583 L / 20.6 cu.ft. | 1169 L / 41.3 cu.ft. | 583 L / 20.6 cu.ft. |
| Weight | 282.2 lbs. / 128 kgs. | 447.5 lbs. / 203 kgs. | 282.2 lbs. / 128 kgs. |
| Packaging Weight | 321.9 lbs. / 146 kgs. | 531.3 lbs. / 241 kgs. | 321.9 lbs. / 146 kgs. |
| Item Number | 59023 | 59025 | 59024 |

Installation

IMPORTANT!!! PLEASE READ BEFORE INSTALLATION

- If the unit has recently been transported, please let the unit stand upright for a minimum of 24 hours before plugging it in.
- Make sure that the unit drops down to the desired temperature before loading the unit with product.
- Make sure that there is proper ventilation around the unit in the area where it will operate.
- Make sure all accessories are installed (shelves, casters, ect.) before plugging in the unit.

Installation

- Please read through the manual in its entirety.

CABINET LOCATION GUIDELINES

INSTALL THE UNIT ON A STRONG AND LEVELED SURFACE

- Unit may make unpleasant noises if surface is uneven.
- Unit may malfunction if surface is uneven.

INSTALL THE UNIT IN AN INDOOR, WELL VENTILATED AREA

- Unit performs more efficiently in a well ventilated area.
- For best performance, please maintain a clearance of 4" from the back of the unit.
- Not to be used outdoors.

AVOID INSTALLATION IN A HIGH HUMIDITY AND/OR DUSTY AREA

- Humidity can cause the unit to rust and decrease efficiency of the unit.
- Dust collected on the condenser coil will cause the unit to malfunction. Clean the condenser at least once a month with a brush or clean cloth.

SELECT A LOCATION AWAY FROM HEAT AND MOISTURE-GENERATING EQUIPMENT

- High ambient temperatures will cause the compressor to overwork, leading to higher energy bills and gradual breakdown of the unit.

ELECTRICAL

Please ensure that the required voltage of the compressor is being supplied at all times. Low or high voltage can detrimentally affect the refrigeration unit. All units should be plugged into a grounded a properly-sized electrical outlet with appropriate overcurrent protection. Please refer to the electrical requirements on the rating plate. Please make sure that your unit has its own dedicated outlet. Do not use an extension cord.

Maintenance

CLEANING THE CONDENSER COIL

- For efficient operation, it is important that the condenser surface be kept free of dust, dirt and lint.
- We recommend cleaning the condenser coil and fins at least once per month.
- Clean with a commercial condenser coil cleaner. Brush the condenser fins from top to bottom, not side to side.
- After cleaning, straighten any bent condenser fins with a fin comb.

CLEANING THE FAN BLADES AND MOTOR

If necessary, clean the fan blades and motor with a soft cloth. If it is necessary to wash the fan blades, cover

Maintenance

the fan motor to prevent moisture damage.

CLEANING THE INTERIOR OF THE UNIT

- When cleaning the cabinet interior, use a solvent of warm water and mild soap.
- Do not use steel wool, caustic soap, abrasive cleaners, or bleach that may damage the stainless steel surface.
- Wash door gaskets on a regular basis, preferably weekly. Simply remove door gasket from the frame of the door, soak in warm water and soap for thirty (30) minutes, dry with a soft cloth and replace.
- Check door gaskets for proper seal after they are replaced.
- Periodically remove the shelves and pilasters from the unit and clean them with mild soap and warm water. To remove the pilasters, first remove the shelves and shelf brackets. Then, simply lift the pilaster up and out.

Warning: Disconnect power cord before cleaning any parts of the unit.

Troubleshooting


| Problem | Possible Cause | Solution |
|--|---|---|
| Compressor not running. | Fuse blown or circuit breaker tripped. | Replace fuse or reset circuit breaker. |
| | Power cord unplugged. | Plug in power cord. |
| | Thermostat set too high. | Set thermostat to a lower temperature. |
| | Cabinet in defrost cycle. | Wait for defrost cycle to finish. |
| Condensing unit runs for long periods of time. | Excessive amount of warm product placed in cabinet. | Allow adequate time for product to cool down. |
| | Prolonged door opening or door ajar. | Ensure doors are closed when not in use. Avoid opening doors for long periods of time. |
| | Door gaskets not sealing properly. | Ensure gaskets are snapped in completely. Remove gaskets and wash with soap and water. Check condition of gaskets and replace if necessary. |
| | Dirty condenser coil. | Clean the condenser coil. |
| | Evaporator coil iced over. | Unplug unit and allow coil to defrost. Make sure thermostat is not set too cold. Ensure that the door gaskets are sealing properly. |

Troubleshooting

| | | |
|----------------------------------|---|---|
| Cabinet temperature is too warm. | Thermostat set too warm. | Set thermostat to a lower temperature. |
| | Blocking air flow. | Re-arrange product to allow for proper air flow. Make sure there is at least 4" of clearance from evaporator. |
| | Excessive amount of warm product placed in cabinet. | Allow adequate time for product to cool down. |
| | Fuse blown or circuit breaker tripped. | Replace fuse or reset circuit breaker. |
| | Dirty condenser coil. | Clean the condenser coil. |
| | Prolonged door opening or door ajar. | Ensure doors are closed when not in use. Avoid opening doors for long periods of time. |
| | Evaporator coil iced over. | |
| Cabinet is noisy. | Loose parts. | Locate and tighten the loose parts. |
| | Tubing vibration. | Ensure tubing is free from contact with other tubing or components. |

Parts Breakdown

Model FR-CN-0737E-HC 59023




Parts Breakdown

Model FR-CN-0737E-HC 59023

| Item No. | Description | Position | Item No. | Description | Position | Item No. | Description | Position |
|----------|---|----------|----------|--|-----------|----------|---|----------|
| AF024 | Cabinet for 59023 | 1 | AF035 | Inner Drain Pan Fixer for 59023 | 21 | AI321 | Condenser Fan Motor for 59023 | 45 |
| AI316 | Control Panel for 59023 | 2 | AA969 | Drain Hose for 59023 | 22 | AB959 | Outer Drain Pan for 59023 | 46 |
| AF026 | Control Panel Fixer for 59023 | 3 | 69703 | Elbow Pipe for 59023 | 23 | AF055 | Condenser for 59023 | 47 |
| AF027 | Front Grill for 59023 | 4 | AA970 | Light Components for 59023 | 24 | AF045 | Back Grill Fixer for 59023 | 48 |
| AA954 | Upper Right Hinge Holder for 59023 | 5 | AF037 | Evap Fan Motor Cover for 59023 | 25 | AA989 | Back Grill for 59023 | 49 |
| AA955 | Left/Right Spring Hinge for 59023 | 6 | AA972 | Bottom Cover for Reversible Door for 59023 | 26, 31 | AA124 | Power Switch for 59023 | 50 |
| AA956 | Bottom Right Hinge Holder for 59023 | 7 | 26884 | K Clip for 59023 | 27 | AI322 | Thermostat for 59023 | 51 |
| AI317 | Door for 59023 | 8 | AA809 | K Strip for 59023 | 28 | AB977 | Door Switch for 59023 | 52 |
| AA958 | Gasket for 59023 | 9 | AA975 | Shelf for 59023 | 29 | AF046 | Drain Plug for 59023 | 53 |
| AA959 | Hinge for 59023 | 10 | AF038 | Evaporator Cover for 59023 | 30 | 26247 | Caster without Brake for 59023 | 54 |
| AA197 | Lock for 59023 | 11, 61 | AF039 | Limited Block of Installation Board for 59023 | 32 | 26246 | Caster with Brake for 59023 | 55 |
| AF028 | Lock Bolt for 59023 | 12 | AF040 | Left Track for Assembling Panel for 59023 | 33 | AA993 | Power Plug Fitting Base for 59023 | 56 |
| AF029 | Leg Supporter for 59023 | 13 | AF041 | Right Track for Assembling Panel for 59023 | 34 | AA379 | Temperature Probe for 59023 | 58 |
| AF825 | Evaporator Fan Motor for 59023 | 14 | AF042 | Compressor Unit Installation Board for 59023 | 35 | AA864 | Drain Pan Heater for 59023 | 59 |
| AA962 | Blade of Evaporator Fan Motor for 59023 | 15 | AI319 | Compressor for 59023 | 36 | AB084 | Evaporator Temperature Sensor for 59023 | 60 |
| AF031 | Evaporator Fan Motor Holder for 59023 | 16 | AI320 | Compressor Starting Components for 59023 | 37-40, 57 | AA865 | Defrost Heater for 59023 | 62 |
| AF032 | Right Air Guide Sheet for 59023 | 17 | AB595 | Filter Fixer for 59023 | 41 | AA867 | Drain Hose Heater for 59023 | 63 |
| AF033 | Left Air Guide Sheet for 59023 | 18 | AB594 | Filter for 59023 | 42 | AA216 | Drain Tube for 59023 | 64 |
| AI318 | Evaporator for 59023 | 19 | AA249 | Condenser Fan Motor Cover for 59023 | 43 | AA135 | Power Cord for 59023 | 65 |
| AF034 | Inner Drain Pan for 59023 | 20 | AA764 | Condenser/Evaporator Fan Motor Blade for 59023 | 44 | | | |

Parts Breakdown

Model FR-CN-1372E-HC 59025




Parts Breakdown

Model FR-CN-1372E-HC 59025

| Item No. | Description | Position | Item No. | Description | Position | Item No. | Description | Position |
|----------|--|----------|----------|--|----------|----------|--|----------|
| AJ133 | Cabinet for 59025 | 1 | AG553 | Evaporator Cover for 59025 | 25 | AM511 | Compressor for 59025 | 47 |
| AJ134 | Control Panel for 59025 | 2 | 27186 | Carel Controller IR33 for 59025 | 26 | AG558 | Cabinet Supporter for 59025 | 50 |
| AF048 | Front Grill for 59025 | 3 | AA124 | Power Switch for 59025 | 27 | AJ151 | Evaporator Temperature Sensor for 59025 | 51 |
| AJ135 | Right Door for 59025 | 4 | AA197 | Lock for 59025 | 28, 49 | AB376 | Thermostat for 59025 | 52 |
| AB029 | Gasket for 59025 | 5, 10 | AB977 | Door Switch for 59025 | 29 | AM512 | Drain Hose Heater for 59025 | 53 |
| AA954 | Upper Right Hinge Holder for 59025 | 6 | AG554 | Back Grill for 59025 | 30 | AJ162 | Defrost Heater for 59025 | 54 |
| AA956 | Bottom Right Hinge Holder for 59025 | 7 | 26246 | Caster with Brake for 59025 | 31 | AG462 | Baffle of Suction Line for 59025 | 55 |
| AA955 | Left/Right Spring Hinge for 59025 | 8, 13 | 26247 | Caster without Brake for 59025 | 32 | AG463 | Back Grill Fixer for 59025 | 56 |
| AJ136 | Left Door for 59025 | 9 | AG451 | Drain Plug for 59025 | 33 | AG464 | Control Panel Fixer for 59025 | 57 |
| AB032 | Upper Left Hinge Holder for 59025 | 11 | AB169 | Foaming Hole Cover for 59025 | 34 | AA959 | Hinge for 59025 | 58 |
| AB033 | Bottom Left Hinge Holder for 59025 | 12 | AA216 | Drain Tube for 59025 | 35 | AG465 | Lock Bolt for 59025 | 59 |
| AG442 | K Clip for 59025 | 14 | AJ132 | Light Components for 59025 | 36 | AA764 | Condenser/Evaporator Fan Motor Blade for 59025 | 60 |
| AG443 | K Strip for 59025 | 15 | AA805 | Power Cord for 59025 | 37 | AA969 | Drain Hose for 59025 | 61 |
| AG550 | Back Brackets for 59025 | 16 | AG455 | Temperature Sensor of Cabinet Inside for 59025 | 38 | AG466 | Elbow Pipe for 59025 | 62 |
| AA975 | Shelf for 59025 | 17 | AG452 | Compressor Unit Installation Board for 59025 | 39 | AG467 | Evaporator Fan Motor Cover for 59025 | 63 |
| 61471 | Leg Supporter for 59025 | 18 | AH690 | Condenser for 59025 | 40 | AG468 | Limited Block of Installation Board for 59025 | 64 |
| AF040 | Left Track for Assembling Panel for 59025 | 19 | AM510 | Condenser Fan Motor for 59025 | 41 | AJ155 | Decompression Valve for 59025 | 65 |
| AF041 | Right Track for Assembling Panel for 59025 | 20 | AA814 | Condenser Fan Motor Blade for 59025 | 42 | AG469 | Compressor Unit Handle for 59025 | 66 |
| AJ157 | Evaporator for 59025 | 21 | AB077 | Condenser Fan Cover for 59025 | 43 | AG471 | Right Evaporator Fan Motor Holder for 59025 | 67 |
| AG552 | Inner Drain Pan for 59025 | 22 | AB595 | Filter Fixer for 59025 | 44 | AJ156 | Fuse for 59025 | 68 |
| AG447 | Left Evaporator Fan Motor Holder for 59025 | 23 | AB594 | Filter D25x160-B for 59025 | 45 | | | |
| AG448 | Evaporator Fan Motor for 59025 | 24 | AB970 | Outer Drain Pan for 59025 | 46 | | | |

Parts Breakdown

Model RE-CN-0021E-HC 59024



Parts Breakdown


Model RE-CN-0021E-HC 59024

| Item No. | Description | Position | Item No. | Description | Position | Item No. | Description | Position |
|----------|--|----------|----------|--|----------|----------|--|----------|
| AJ129 | Cabinet for 59024 | 1 | AG448 | Evaporator Fan Motor for 59024 | 20, 36 | AB595 | Filter Fixer for 59024 | 39 |
| AJ130 | Control Panel for 59024 | 2 | AB109 | Thermostat for 59024 | 21 | AB594 | Filter D25x160-B for 59024 | 40 |
| AF027 | Front Grill for 59024 | 3 | AA124 | Power Switch for 59024 | 22 | AA874 | Outer Drain Pan for 59024 | 41 |
| AA954 | Upper Right Hinge Holder for 59024 | 4 | AG449 | Evaporator Cover for 59024 | 23 | AI386 | Compressor for 59024 | 42 |
| AA956 | Bottom Right Hinge Holder for 59024 | 5 | AG450 | Back Grill for 59024 | 24 | AI392 | Compressor Starting Components for 59024 | 43 |
| AA955 | Left/Right Spring Hinge for 59024 | 6 | AB977 | Door Switch for 59024 | 25 | AG455 | Temperature Sensor of Cabinet Inside for 59024 | 44 |
| AA972 | Bottom Cover for Reversible Door for 59024 | 7, 8 | AA197 | Lock for 59024 | 26, 45 | AG462 | Baffle of Suction Line for 59024 | 46 |
| AJ131 | Door for 59024 | 9 | 26246 | Caster with Brake for 59024 | 27 | AG463 | Back Grill Fixer for 59024 | 47 |
| AA958 | Gasket for 59024 | 10 | 26247 | Caster without Brake for 59024 | 28 | AG464 | Control Panel Fixer for 59024 | 48 |
| AG442 | K Clip for 59024 | 11 | AG451 | Drain Plug for 59024 | 29 | AA959 | Hinge for 59024 | 49 |
| AG443 | K Strip for 59024 | 12 | AB169 | Foaming Hole Cover for 59024 | 30 | AG465 | Lock Bolt for 59024 | 50 |
| AA975 | Shelf for 59024 | 13 | AA216 | Drain Tube for 59024 | 31 | AA969 | Drain Hose for 59024 | 52 |
| AF029 | Leg Supporter for 59024 | 14 | AJ132 | Light Components for 59024 | 32 | AG466 | Elbow Pipe for 59024 | 53 |
| AF040 | Left Track for Assembling Panel for 59024 | 15 | AA805 | Power Cord for 59024 | 33 | AG467 | Evaporator Fan Motor Cover for 59024 | 54 |
| AF041 | Right Track for Assembling Panel for 59024 | 16 | AG452 | Compressor Unit Installation Board for 59024 | 34 | AG468 | Limited Block of Installation Board for 59024 | 55 |
| AG445 | Evaporator for 59024 | 17 | AA986 | Condenser for 59024 | 35 | AG469 | Compressor Unit Handle for 59024 | 56 |
| AG446 | Inner Drain Pan for 59024 | 18 | AG453 | Air Guide Sheet for 59024 | 37 | AG470 | Condenser Fan Motor Holder for 59024 | 57 |
| AG447 | Left Evaporator Fan Motor Holder for 59024 | 19 | AA764 | Condenser/Evaporator Fan Motor Blade for 59024 | 38, 51 | AG471 | Right Evaporator Fan Motor Holder for 59024 | 58 |

Electrical Schematics

Model FR-CN-0737E-HC 59023



Model RE-CN-0021E-HC 59024



NEMA
 5 - 15P
 125VAC / 15 AMP

Electrical Schematics

Model FR-CN-1372E-HC 59025





Warranty Registration

Thank you for purchasing an Omcan product. To register your warranty for this product, complete the information below, tear off the card at the perforation and then send to the address specified below. You can also register online by visiting:

Merci d'avoir acheté un produit Omcan. Pour enregistrer votre garantie pour ce produit, complétez les informations ci-dessous, détachez la carte au niveau de la perforation, puis l'envoyer à l'adresse spécifiée ci-dessous. Vous pouvez également vous inscrire en ligne en visitant:

Gracias por comprar un producto Omcan usted. Para registrar su garantía para este producto, complete la información a continuación, cortar la tarjeta en la perforación y luego enviarlo a la dirección indicada a continuación. También puede registrarse en línea en:

<https://omcan.com/warranty-registration/>

For mailing in Canada

Pour postale au Canada

Por correo en Canadá

OMCAN

PRODUCT WARRANTY REGISTRATION

3115 Pepper Mill Court,

Mississauga, Ontario

Canada, L5L 4X5

For mailing in the US

Pour diffusion aux États-Unis

Por correo en los EE.UU.

OMCAN

PRODUCT WARRANTY REGISTRATION

4450 Witmer Industrial Estates, Unit 4,

Niagara Falls, New York

USA, 14305

or email to: service@omcan.com



Purchaser's Information

Name: _____

Address: _____

City: _____ Province or State: _____ Postal or Zip: _____

Country: _____

Dealer from which Purchased: _____

Dealer City: _____ Dealer Province or State: _____

Invoice: _____

Model Name: _____ Model Number: _____

Machine Description: _____

Date of Purchase (MM/DD/YYYY): _____

Would you like to extend the warranty? Yes No

Company Name: _____

Telephone: _____

Email Address: _____

Type of Company:

Restaurant Bakery Deli

Butcher Supermarket Caterer

Institution (*specify*): _____

Other (*specify*): _____

Serial Number: _____

Date of Installation (MM/DD/YYYY): _____

Thank you for choosing Omcan | Merci d'avoir choisi Omcan | Gracias por elegir Omcan



Since 1951 Omcan has grown to become a leading distributor of equipment and supplies to the North American food service industry. Our success over these many years can be attributed to our commitment to strengthen and develop new and existing relationships with our valued customers and manufacturers. Today with partners in North America, Europe, Asia and South America, we continually work to improve and grow the company. We strive to offer customers exceptional value through our qualified local sales and service representatives who provide convenient access to over 6,500 globally sourced products.

Depuis 1951 Omcan a grandi pour devenir un des “leaders” de la distribution des équipements et matériel pour l’industrie des services alimentaires en Amérique du Nord. Notre succès au cours de ces nombreuses années peut être attribué à notre engagement à renforcer et à développer de nouvelles et existantes relations avec nos clients et les fabricants de valeur. Aujourd’hui avec des partenaires en Amérique du Nord, Europe, Asie et Amérique du Sud, nous travaillons continuellement à améliorer et développer l’entreprise. Nous nous efforçons d’offrir à nos clients une valeur exceptionnelle grâce à nos ventes locales qualifiées et des représentants de service qui offrent un accès facile à plus de 6500 produits provenant du monde entier.

Desde 1951 Omcan ha crecido hasta convertirse en un líder en la distribución de equipos y suministros de alimentos en América del Norte industria de servicios. Nuestro éxito en estos años se puede atribuir a nuestro compromiso de fortalecer y desarrollar nuevas relaciones existentes con nuestros valiosos clientes y fabricantes. Hoy con socios de América del Norte, Europa, Asia y América del Sur, que trabajan continuamente para mejorar y crecer la empresa. Nos esforzamos por ofrecer a nuestros clientes valor excepcional a través de nuestro local de ventas y representantes de los servicios que proporcionan un fácil acceso a más de 6,500 productos con origen a nivel mundial.

